Landmark[®] Series

Designer Roofing Series



Landmark, shown in Weathered Wood







Trust Your Home to Landmark[®]

Few things in this world are as precious as the place that you call home. It is much more than just a house. It's the foundation from which you build your life. That's why having a roof that gives your home long-lasting curb appeal and protection from the elements is so important. At CertainTeed, our benchmark for success is our customers' total peace of mind. And we wouldn't have it any other way.

Our dedication to making the highestquality roofing systems continues to earn the respect of top building professionals. And our product portfolio offers the widest variety of design and color options in the industry. It's no wonder that more than a million homeowners across North America choose CertainTeed each year.

And the job doesn't stop once the roof goes on. Every CertainTeed product is backed by our industry-leading manufacturer's warranty, allowing you to rest confidently and comfortably for years to come.



Technology that protects the beauty of your roof and strengthens its performance.



Nail*Trak*®

Fast, Accurate, Visible

The new and improved **Nail**Trak nailing line, a feature on CertainTeed designer shingles.

Now NailTrak is brighter than ever before, with high-visibility lines that stand out whether it's daybreak or dusk.

NailTrak removes the guesswork with three separately defined lines, creating a large area to guide your nailing and a smaller area for extreme steep-slope applications.

QuadraBond[®]

Advanced Lavering

CertainTeed's specially formulated adhesive adheres shingle layers at four points, more than any other manufacturer. This superior bond provides greater protection against shingle delamination to maximize performance over the life of the shingle in any climate.

Streak*Fighter*[®]

Algae Resistance

The ultimate in stain protection.

Those streaks you see on other roofs in your neighborhood? That's algae, and it's a common eyesore on roofing throughout North America. CertainTeed's StreakFighter technology uses the power of science to repel algae before it can take hold and spread. StreakFighter's granular blend includes naturally algae-resistant copper, helping your roof maintain its curb appeal and look beautiful for years to come.

CertaSea/®

Uplift Protection

CertaSeal® is a fast-activating modified asphalt sealant with a 20-year record of proven performance. Designed to seal shingles together upon installation, it protects roofs from wind uplift and shingle blow-off so that homes stay safe and dry. It's also engineered to remain flexible after installation, unlike harder sealants that can dry out and crack over time.

Solaris[®] CoolRoof


Solar Reflectivity

Solaris® Cool Roof is a sustainable shingle granule technology that applies energy-saving cool roof performance to CertainTeed's most popular shingle brands. Available in rich and authentic colors, including dark hues and tones, Solaris Cool Roof can lower roof temperatures and allow homeowners to reduce cooling costs without sacrificing beauty, quality, or color.





Granule with StreakFighter Technology



Ceramic coating Mineral core Diagram for illustrative Copper layer purposes only







The Trusted Classic

LANDMARK®

Owning a Landmark roof brings peace of mind. Landmark's dual-layered construction and exceptional durability provide long-lasting protection for your home.

- Dual-layered for extra dimensionality and protection from the elements
- Offers the widest array of colors in the industry
- Independently certified as meeting the highest quality standards for roofing





Scan code for more information

LANDMARK[®] Solaris[®] CoolRoof COLOR PALETTE



Solaris Weathered Wood CRRC Product ID 0668-0119

Solaris Crystal Gray CRRC Product ID 0668-0058

LANDMARK® COLOR PALETTE

Solaris Aged Cedar

CRRC Product ID 0668-0055



Silver Birch CRRC Product ID 0668-0072



Georgetown Gray



Weathered Wood





Moiré Black

Black Walnut

Heather Blend







Driftwood



Burnt Sienna



Colonial Slate

Pewter



Resawn Shake





Outstanding Durability

LANDMARK[®] Climate*F/ex*[®]

Featuring the latest advances in polymer science, CertainTeed's **Climate***Flex* technology works at a molecular level to make shingles strong and pliable. The rubber-like qualities of the **Climate***Flex* asphalt formula provides each shingle with improved hail resistance, cold-weather flexibility and granule adhesion.

- Highest industry-rated impact protection
- Better pliability and granule adhesion
- Endures weathering and cold-weather extremes


Available in limited areas.

Colonial Slate




Scan code for more information

LANDMARK[®] Climate*Flex*[®] COLOR PALETTE





Colonial Slate




Burnt Sienna

Weathered Wood



Resawn Shake





Moiré Black

Heather Blend





The Expert's Choice

LANDMARK® PRO

A refined union of vision and value, our PRO line leads its class in optimal performance and variety of color.

- Now classified as UL 2218 Class 3
 Impact Rated
- Engineered to meet professional contractors' exacting specifications
- Available in a wide selection of eye-catching **Max Def** colors
- Outweighs standard laminates to provide greater protection from the elements

Max Def Moiré Black



Scan code for more information

LANDMARK® PRO COLOR PALETTE



Max Def Cobblestone Gray



Max Def Moiré Black



Max Def Resawn Shake



Max Def Georgetown Gray



Max Def Espresso



Max Def Red Oak



Max Def Weathered Wood



Max Def Driftwood



Max Def Heather Blend



Max Def Burnt Sienna

MAX DEF COLORS

Look deeper. With Max Def, a new dimension is added to shingles with a richer mixture of surface granules. You get a brighter, more vibrant, more dramatic appearance and depth of color. And the natural beauty of your roof shines through.





Outstanding Durability

NORTHGATE[®] Climate*Flex*[®]

Featuring the latest advances in polymer science, CertainTeed's **Climate***Flex* technology works at a molecular level to make shingles strong and pliable. The rubber-like qualities of the **Climate***Flex* asphalt formula provides each shingle with improved hail resistance, cold-weather flexibility, and granule adhesion than traditional asphalt shingles.

- Highest industry-rated impact protection
- Better pliability and granule adhesion
- Endures weathering and cold-weather extremes





Scan code for more information

NORTHGATE[®] Climate*Flex*[®] COLOR PALETTE





Silver Birch CRRC Product ID 0668-0072



Max Def Weathered Wood



Max Def Georgetown Gray

Max Def Driftwood



Max Def Heather Blend



Max Def Burnt Sienna

MAX DEF COLORS

Look deeper. With Max Def, a new dimension is added to shingles with a richer mixture of surface granules. You get a brighter, more vibrant, more dramatic appearance and depth of color. And the natural beauty of your roof shines through.





Max Def Granite Gray

Max Def Pewter



Max Def Moiré Black



Max Def Espresso



Max Def Resawn Shake



Max Def Hunter Green





Top Shelf

LANDMARK® PREMIUM


A sophisticated look, brilliantly executed. Our Premium line is engineered to protect, enhance and endure.

- Outclasses ordinary roofing in both appearance and performance
- Tough two-piece laminated fiberglass-based construction
- Features **Max Def** colors for a deeper, richer mixture of surface granules



Scan code for more information Max Def Weathered Wood


LANDMARK® PREMIUM COLOR PALETTE



Max Def Weathered Wood



Max Def Heather Blend



Max Def Moiré Black

MAX DEF COLORS

Look deeper. With Max Def, a new dimension is added to shingles with a richer mixture of surface granules. You get a brighter, more vibrant, more dramatic appearance and depth of color. And the natural beauty of your roof shines through.







Depth of Character

LANDMARK® TL

Dramatically thick. Classically elegant. These wood-inspired shakes offer triple lamination for rugged wear with real charisma.

- Look of hand-split cedar
- Patented 3-layer laminate
- Random tab design and unique natural shadows
- A luxury-class shingle produced at a fraction of the cost of wood shake



Scan code for more information


Shenandoah

LANDMARK® TL COLOR PALETTE





Country Gray



Max Def Black Walnut

Moiré Black



Shenandoah



Strength with Style

LANDMARK®

- Dual-layer durability
- Industry-best lifetime limited warranty
- 25-year **Streak***Fighter*[®] algae-resistance warranty
- Solaris[®] CoolRoof colors have a Solar Reflectance Index greater than 20 SRI.

LANDMARK[®] Climate*Flex*[®]

- UL Classified to UL 2218 Class 4 Impact Resistance
- Dual-layer, high performance
- Industry-best lifetime limited warranty
- 25-year **Streak***Fighter*[®] algae-resistance warranty Available in limited areas.

LANDMARK[®] PRO

- PRI classified to UL 2218 Class 3 Impact Rated
- Dual-layer, high performance
- Max Def color palette
- Industry-best lifetime limited warranty
- 30-year **Streak***Fighter*[®] algae-resistance warranty

NORTHGATE® ClimateFlex®

- UL Classified to UL 2218 Class 4 Impact Resistance
- Dual-layer, high performance
- Max Def color palette
- Industry-best lifetime limited warranty
- 30-year StreakFighter[®] algae-resistance warranty

LANDMARK® PREMIUM

- Dual-layer, high performance
- Max Def color palette
- Industry-best lifetime limited warranty
- 30-year **Streak***Fighter*[®] algae-resistance warranty

LANDMARK® TL

- Triple-layer, high performance
- Rustic appearance of hand-split wood shakes
- Industry-best lifetime limited warranty
- 30-year StreakFighter[®] algae-resistance warranty



LANDMARK SERIES

SPECIFICATIONS

- Two-piece laminated fiberglass-based construction
- Three-piece (Landmark TL) laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- Solaris[®] CoolRoof colors have a Solar Reflectance Index greater than 20 SRI.

For U.S. building code compliance, see product specification sheets.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

Wind Driven Rain Resistance:

• Miami-Dade Product Control Acceptance: Please reference www.certainteed.com to determine approved products by manufacturing location.

Impact Resistance:

- UL certified to meet UL 2218 Class 4 (Landmark Climate F/ex[®] and NorthGate Climate F/ex[®])
- UL classified to meet UL 2218 Class 3 (Landmark PRO)

Quality Standards:

• ICC-ES-ESR-1389 & ESR-3537

WARRANTY

- Lifetime limited transferable warranty against manufacturing defects on residential applications
- 50-year limited transferable warranty against manufacturing defects on group-owned or commercial applications (Landmark PRO, Landmark Premium and Landmark TL)
- StreakFighter[®] algae-resistance warranty (25-year - Landmark and Landmark ClimateFlex[®], 30-year - Landmark PRO, NorthGate ClimateFlex[®], Landmark Premium and Landmark TL)
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required

See actual warranty for specific details and limitations.

Landmark Solaris Solar Reflectivity (SR), Thermal Emittance (TE) & Solar Reflectance Index (SRI) Data

PRODUCT - COLOR	CRRC Product ID Number	Aged Solar Reflectance	Thermal Emittance	Solar Reflective Index (SRI)
Landmark Solaris [®] - Aged Cedar	0668-0055	0.24	0.92*	25 [†]
Landmark Solaris [®] - Crystal Gray	0668-0058	0.26	0.93*	28 [†]
Landmark Solaris [®] - Graphite	0668-0155	0.21 [†]	0.91*	21 [†]
Landmark Solaris® - Weathered Wood	0668-0119	0.21	0.91	21 [†]

[†] Aged value calculated using the California Title 24 Solar Reflective Index (SRI) Calculation Worksheet ^{*} Indicates Initial Thermal Emittance

Product Comparison

	Traditional Designer Shingle Style	Industry Leading Granule Adhesion	Warranty Duration	Algae Warranty Coverage	Product Weight
Landmark	1	1	Lifetime	25-Year	1
Landmark Solaris [®] CoolRoof	~	1	Lifetime	25-Year	1
Landmark ClimateFlex [®] Available in limited areas.	1	1	Lifetime	25-Year	1
Landmark PRO	✓	1	Lifetime	30-Year	11
NorthGate ClimateF/ex®	1	1	Lifetime	30-Year	11
Landmark Premium	1	1	Lifetime	30-Year	$\int \int \int$
Landmark TL	1	1	Lifetime	30-Year	$\int \int \int$



Depth/ Dimensional Appearance	Nail Trak	Max Def Colors	Climate <i>Flex</i> Technology (Cold Weather Installation)	Climate <i>Flex</i> Technology (Impact Resistance)	UL 2218 Impact Rated	Cool Roof Technology (Solar Reflectivity)	Value Rating	
1	1						Good	
1	1					1	Good	
1	1		1	1	Class 4		Better	
J J	1	1			Class 3		Better	
11	1	1	1	1	Class 4		Best	
<i>」 」</i>	1	1					Best	
J		1					Best	474

The ColorView[®] Visualizer: Design your Dream Home with the Click of a Mouse

CertainTeed created the ColorView tool to help homeowners bring their creative vision to reality.

Just look through a photo library of homes to choose one that looks most like your own. Then click on the roof to easily switch designs and see what CertainTeed product looks best. You can choose from hundreds of different roofing design and color combinations, and even add roof accents in different colors. All before anyone raises a hammer. Want to visualize different roofing styles on your own home? You can upload photos to ColorView and have them digitally masked by one of our design professionals, or use DIY mode to upload and mask your own photos.

Plus, you can print or share your ColorView photos with family and friends to get their feedback. Visit **colorview.certainteed.com** and get started.







Add a Little Accent to Your Roof

The visually impactful choice for capping the hips and ridges of your roof, CertainTeed's Cedar Crest[®] accessory shingles will complement or match any shingle in the Landmark Series. For a low-profile hip and ridge look, CertainTeed also offers Shadow Ridge[®] accessory shingles. Also available in **Climate***Flex* version.

Color Companion Products for Flat Roof Areas

With CertainTeed Flintlastic SA, you can coordinate flat roof areas like carports, canopies and porches with your main roof. Flintlastic SA is a self-adhering low slope roofing product available in ten colors that complement some of the most popular CertainTeed shingles.

Cool Sta

Integrity Roof System™

A COMPLETE APPROACH TO LONG LASTING BEAUTY AND PERFORMANCE

With as much care as you take in selecting the right contractor, choosing the right roof system is equally as important. A CertainTeed Integrity Roof System combines key elements that help ensure you have a well-built roof for long-lasting performance.

. Waterproofing Underlayment

The first step in your defense against the elements. Self-adhering underlayment is installed at vulnerable areas of your roof to help prevent leaks from wind-driven rain and ice dams.

2. Water-Resistant Underlayment

Provides a protective layer over the roof deck and acts as a secondary barrier against leaks.

3. Starter Shingles

6

Starter Shingles are the first course of shingles that are installed and designed to work in tandem with the roof shingles above for optimal shingle sealing and performance.

4. Shingles

Choose from a variety of Good-Better-Best styles to complement any roof design and fit your budget.

5 111111

5. Ventilation

A roof that breathes is shown to perform better and last longer. Ridge Vents, in combination with Intake Vents, allow air to flow on the underside of your roof deck, keeping the attic cooler in the summer and drier in the winter.

6. Hip & Ridge Caps

Available in numerous profiles, these accessories are used on the roof's hip and ridge lines for a distinctive finishing touch to your new roof.

learn more at: certainteed.com/roofing

Landmark[®] Series available in areas shown



CertainTeed

ՠՈՒ SAINT-GOBAIN

CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM 20 Moores Road, Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com

©08/23 CertainTeed, Printed in the USA, Code No. 00-00-134-US-EN

